

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

**TITLE: KromaTiD Genomic Integrity G-Band Report**

<b>Author</b>	Greg Husar		
<b>Reviewed By</b>	Michael Vernich		
<b>Approved By</b>	Gretchen Pratt		

**I. PROJECT INFORMATION**

<b>Project Quote #</b>	240328
<b>Sample Type</b>	T-Cells
<b>Sample ID</b>	S019000 , GTX CAR Insert 1
<b>Passage number (or N/A)</b>	N/A
<b>Study Objective</b>	G-Banding
<b>Project Start Date</b>	04/15/2024
<b>Report Date</b>	04/26/2024

**I. G-BAND ASSAY**

<b>Assay</b>	<b>Standard G-banding SOP-0068.4</b>
<b>Test Description</b>	<p>G-banding with trypsin treatment and Giemsa stain (GTG-banding) is used in cytogenetics to produce a visible karyotype by staining metaphase chromosomes. This technique allows each chromosome to be distinguished by its characteristic banding pattern. G-banding is useful in assessing structural abnormalities in individual chromosomes, as well as extra or missing chromosomes within a cell.</p> <p>Industry-standard protocols are used to score events (ISCN 2020: An International System for Human Cytogenomic Nomenclature). Events for this report are listed by type and prevalence.</p> <p>Appendix A contains a list of all event types evaluated. Appendix B contains a list of all unique events with their observed counts.</p>

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

## II. RESULTS

<b>Cells Analyzed</b>	100
-----------------------	-----

**Table 1: Summary of cell ploidy results**

<b>Category</b>	<b>% of Cells</b>
Haploid	0.0
Diploid	97.0
Triploid	1.0
Tetraploid	2.0
>4n Ploidy	0.0

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

**Table 2: Summary of cells with chromosomal events**

Category	% of Cells with > 0 Events in Category
No Events	35.0
Chromosome aneuploidy	35.0
Acentric fragments	0.0
Additional material of unknown origin	5.0
Constitutional anomaly	0.0
Chromosome breaks	1.0
Chromatid breaks	4.0
Chromothripsis	0.0
Deletions	24.0
Derivative chromosomes	6.0
Dicentrics	1.0
Double minutes	0.0
Duplications	1.0
Endoreduplications	0.0
Fragile sites	0.0
Heterochromatin, constitutive	0.0
Homogeneously staining regions	0.0
Isochromosomes	0.0
Isodicentrics	0.0
Insertions	0.0
Inversions	0.0
Marker chromosomes	6.0
Quadriradials	0.0
Ring chromosomes	0.0
Translocations	14.0
Triradials	0.0

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

**Table 3: Chromosomal aneuploidy event rates**

Category	Event	# of Cells	% of Cells
Chromosome Aneuploidy (Loss)	-1	0	0.0
	-2	1	1.0
	-3	1	1.0
	-4	1	1.0
	-5	0	0.0
	-6	2	2.0
	-7	0	0.0
	-8	0	0.0
	-9	1	1.0
	-10	0	0.0
	-11	2	2.0
	-12	0	0.0
	-13	1	1.0
	-14	3	3.0
	-15	1	1.0
	-16	2	2.0
	-17	0	0.0
	-18	2	2.0
	-19	2	2.0
	-20	2	2.0
	-21	2	2.0
	-22	0	0.0
	-X	13	13.0
-Y	0	0.0	

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

Category	Event	# of Cells	% of Cells
Chromosome Aneuploidy (gain)	+1	0	0.0
	+2	2	2.0
	+3	0	0.0
	+4	0	0.0
	+5	0	0.0
	+6	0	0.0
	+7	1	1.0
	+8	0	0.0
	+9	0	0.0
	+10	0	0.0
	+11	0	0.0
	+12	0	0.0
	+13	0	0.0
	+14	0	0.0
	+15	0	0.0
	+16	0	0.0
	+17	0	0.0
	+18	0	0.0
	+19	0	0.0
	+20	0	0.0
	+21	0	0.0
	+22	0	0.0
+X	1	1.0	
+Y	0	0.0	

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

**Table 4: Event rates for Project-specific chromosomes**

Chromosome	# Events	# of Cells	% of Cells
16	38	37	37

**Summary of Results:**

Sample karyotype is 97.0% diploid, with non-recurrent aneuploidy observed in 35.0% of cells.

Non-recurrent aneuploidy observed should be regarded as random loss/gain of a chromosome.

Structurally rearranged chromosomes were detected in 49.0% of cells. Events with occurrence in over 15% of cells are considered recurrent.

A summary of observed events is included in Appendix B.

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

## Example Karyograms:

Karyotyped: 45,X,-X,del(16)(p12) 1 - 16



Karyotyped: 45,X,-X,t(15;16)(q21;p13.3) 1 - 34



**KromaTiD Genomic Integrity G-Band Assay is for research use only and is not a medical diagnostic test.**

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

## Appendix A. Table of karyotyping abbreviations

Abbreviation	Definition
ace	Acentric fragment
add	Additional material of unknown origin
c	Constitutional anomaly
chrb	Chromosome break
chtb	Chromatid break
cth	Chromothripsis
del	Deletion
der	Derivative chromosome
dic	Dicentric
dmin	Double minute
dup	Duplication
end	Endoreduplication
fra	Fragile site
h	Heterochromatin, constitutive
hsr	Homogeneously staining region
i	Isochromosome
idic	Isodicentric
ins	Insertion
inv	Inversion
mar or M	Marker chromosome
minus sign (-)	Loss
multiplication sign (x)	Multiple copies of same abnormality
plus sign (+)	Gain
qr	Quadriradial
r	Ring chromosome
t	Translocation
tr	Triradial

<b>Document Code:</b>	FORM-0068B	<b>Document Type:</b>	FORM
<b>Revision:</b>	1.0		
<b>Sample:</b>	GTX CAR Insert 1		

## Appendix B. Table of individual karyotypic events

Karyotype	Category	# of Events	# of Cells	% of Cells
add(16)(p13.3)	additional_material_unknown_origin	5	5	5.0
chtb(1)(p)	chromatid_break	1	1	1.0
chtb(10)(q)	chromatid_break	1	1	1.0
chtb(16)(p)	chromatid_break	1	1	1.0
chtb(4)(q)	chromatid_break	1	1	1.0
chrb(3)(p)	chromosome_break	1	1	1.0
del(14)(q11.2)	deletion	5	5	5.0
del(15)(q21)	deletion	1	1	1.0
del(16)(p12)	deletion	12	12	12.0
del(16)(p12)x2	deletion	2	1	1.0
del(16)(p13.2)	deletion	3	3	3.0
del(19)(p13.2)	deletion	1	1	1.0
del(3)(p10)	deletion	1	1	1.0
del(3)(p25)	deletion	1	1	1.0
der(11)t(11;17)(p11.2;q21)	derivative_chromosome	1	1	1.0
der(14;16)(p11.2;p13.2)	derivative_chromosome	4	4	4.0
der(3;6)(p21.3;p21)	derivative_chromosome	1	1	1.0
dic(6;11)(p25;p15)	dicentric	1	1	1.0
dup(9)(q21q31)	duplication	1	1	1.0
+2	gain	2	2	2.0
+7	gain	1	1	1.0
+X	gain	1	1	1.0
-2	loss	1	1	1.0
-3	loss	1	1	1.0
-4	loss	1	1	1.0
-6	loss	2	2	2.0
-9	loss	1	1	1.0
-11	loss	2	2	2.0
-13	loss	1	1	1.0
-14	loss	3	3	3.0
-15	loss	1	1	1.0
-16	loss	2	2	2.0
-18	loss	2	2	2.0
-19	loss	2	2	2.0
-20	loss	2	2	2.0
-21	loss	2	2	2.0
-X	loss	15	13	13.0
+4M	marker_chromosome	4	1	1.0
+M	marker_chromosome	5	5	5.0
t(15;16)(q21;p13.3)	translocation	9	9	9.0
t(3;11)(p24;p11.2)	translocation	4	4	4.0